## Vacuum lifter - Vacuhand V

### Ergonomic lifting up to 200 kg!



The large range of standardized grippers and accessories such as swivels, angular toggle joints, quick fasteners, extension parts and elbow joint handles make it easy to amend the lifter to suit and meet the needs and requirements.

The design aims at creating a minimum level of leakage, which implies secured performance and a lower energy consumption.



✓ Effective✓ Flexible✓ Strong

With controls on the handle it's easy to adjust the hovering settings with and without load.

Vacuhand allows easy handling of a wide range of items, from sacks and carton boxes to board material such as glass, metal sheets and doors.





# Easyhand T

Catalogue 2013-01 EN







## Complete lift units Easyhand T/TZ



Product No.	Product	Media	Lift capacity
6130001	Easyhand T 100/802 2.5 m	1.25 kW incl. box	35 kg
6130002	Easyhand T 100/902 2.5 m	2.4 kW incl. box	>35 kg
6130003	Easyhand T 100/150 2.5 m	Ejector	35 kg
6130004	Easyhand TZ 100/802 2.5 m	1.25 kW incl. box	35 kg
6130005	Easyhand TZ 100/902 2.5 m	2.4 kW incl. box	>35 kg
6130006	Easyhand TZ 100/150 2.5 m	Ejector	35 kg

#### <u>Note</u>

Specify engine voltage when ordering:

- A: 3 phase / 50Hz / 200 V
- B: 3 phase / 50Hz / 220 240 V
- C: 3 phase / 50Hz / 380 415 V
- D: 3 phase / 60Hz / 220 V
- E: 3 phase / 60Hz / 240 275 V
- F: 3 phase / 60Hz / 440 480 V

A complete electric lift unit contains:	A complete pneumatic lift unit contains:
* lift unit * filter unit * pump unit ( <b>electric</b> ) with silencing box * hose clamps (hose ø25 mm is <b>not</b>	* lift unit * filter (built-in) * pump unit (Piab e <b>jector</b> in top of unit)



Easyhand T



Easyhand TZ Select tool from Easyhand M

